

OGSA Profile Definition

Version 1.0

Status of This Memo

This memo provides information to the Grid community on how to write normative Profiles for describing collections of specifications and their interactions. This document does not define any standards or technical recommendations. Distribution is unlimited.

Copyright Notice

Copyright © Global Grid Forum (2005). All Rights Reserved.

Abstract

The Global Grid Forum (GGF) has embraced the Open Grid Services Architecture (OGSA) as the industry blueprint for standards-based grid computing. A normative definition of OGSA will be provided as a number of OGSA Profiles, modeled along the lines of WS-I Profiles. This informational document outlines how to write normative OGSA Profiles for describing collections of specifications and their interactions. Two types of Profile are defined: a "Recommended Profile" and an "Informational Profile." Both types of Profile are normative in nature and provide the same level of detail about the specifications they contain. The Profile type is determined by the maturity of the specifications referenced by a Profile—the status type and adoption level of each specification. This document provides objective definitions for the classification of referenced specifications and for determining the Profile type.

Contents

Abstract	1
1. Introduction	3
2. Terminology	3
3. Profile Conformance	3
3.1 Claiming Conformance	3
4. Profile Content and Structure	3
4.1 References	4
4.2 Status Type and Adoption Level: Classification of Referenced Documents	4
4.3 Required Features	7
4.4 Restrictions	7
4.5 Extensions	7
4.6 Interactions	7
5. Profile Type Distinction	7
5.1 Informational Profile	8
5.2 Recommended Profile as Proposed Recommendation	8
5.3 Recommended Profile as Grid Recommendation	8
6. Security Considerations	8
Author Information	8
Acknowledgments	9
Intellectual Property Statement	9
Full Copyright Notice	9
References	10

1. Introduction

The growing number of Web service specifications makes it important to understand and define the interaction and use of these specifications to ensure interoperability. Within the context of basic Web services, it has proved useful to define a collection of normative "profiles" that provide guidance on issues of interoperability: the WS-I Basic Profile v1.1 [**WS-I BP 1.1**] and the WS-I Basic Security Profile v1.0 [**WS-I BSP 1.0**]. A similar approach, defining interoperation through conformance specification, is also useful in the wider technical domain of distributed system management and grid computing. The grid community can benefit from the definition of a similar set of profiles that address grid-specific functionality. OGSA, for example, is expected to be defined normatively by a number of such Profiles. Therefore there is a need within GGF to define what is meant by an OGSA Profile (hereafter "Profile").

This Informational Document outlines how to write normative Profiles for describing collections of specifications and their interactions. The intention of these Profiles is to describe precisely the requirements placed on implementations to ensure interoperability.

Two types of Profile are defined: a "Recommended Profile" and an "Informational Profile." The expectation is that both are normative in nature and provide the same level of detail about the specifications they contain. However, the maturity of the referenced specifications and their implementations determine whether a particular Profile should be a GGF Informational Document ("Informational Profile") or if it should be put into the Recommendations track ("Recommended Profile"). Section 5 provides guidelines to help distinguish these two types of Profile document.

2. Terminology

The following terminology is used in this document:

- The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in RFC 2119 [RFC2119].
- For simplicity, and only in situations where the use is clear from the context, the word "document" is occasionally used to mean "specification or profile."

3. Profile Conformance

Conformance to the Profile is defined normatively in WS-I Basic Profile 1.1. This document abides by those definitions. Please refer to section 2 of the WS-I Basic Profile 1.1.

3.1 Claiming Conformance

Claims of conformance to a Profile SHOULD use mechanisms described in "Conformance Claim Attachment Mechanisms [**Conformance Claim**]", when the applicable Profile requirements associated with a target have been met. The specifics of the conformance claim attachment is related to the specific conformance target(s) and their related artifact(s).

A Profile MUST define a conformance claim URI for the Profile. For example: "http://example.com/profiles/basic/1.0".

4. Profile Content and Structure

The contents and structure of a Profile document is independent of its type (Informational or Recommended). See Section 5 for a discussion of the distinction between the two different types of Profile.

A Profile consists of references to a number of other specifications or profiles that constitute the given Profile. For each referenced specification or profile, the information described in the following subsections **MUST** be included.

4.1 References

In order to allow implementers (and eventually compliance-validation teams) to identify a referenced specification or profile, the reference **MUST** be exact and stable. It **MUST** include complete bibliographic reference information, including date and version numbers. Where an online schema or other documentation is required, there **MUST** be a complete and *persistent* URL. A persistent URL **SHOULD** refer to a document on an institutional web site where there is every expectation that the site will remain supported for the lifetime of the institution and possibly longer. The area of the institution's web site **SHOULD** be persistent, which means that once placed on the web site the document's name and location will remain unchanged indefinitely.

In some cases, only a sub-section or part of a specification or profile will apply. In such cases, complete subsection references **MUST** be provided. These references **MUST** include section numbers and titles, and **SHOULD** include page numbers where possible.

4.2 Status Type and Adoption Level: Classification of Referenced Documents

Specifications or other profiles that are referenced in a Profile may continue to evolve in parallel with the Profile itself, and thus for each reference it is necessary to indicate the current **status type** and **adoption level**. The Profile **MUST** also indicate when the authors expect the status type or adoption level to change, and to which state it is expected to move. The distinction between an Informational Profile and a Recommended Profile is based on these states—see Section 5 for more information.

The following are the **status types** to be used. The definitions of the status types used in a profile **MAY** be repeated in the Profile document; otherwise a reference to this document **MUST** be provided.

- **De Facto Standard.** A specification that is used widely and where there are no competing specifications in the same technology area. Multiple implementations must be available and at least one open and freely available implementation should exist.

For example, WSDL 1.1.

- **Institutional Standard.** An *approved* specification from a generally recognized standards development organization with open membership. "Approved" is defined by the processes of the institution in question. The specification is not expected to change without a repeat of the standardization process and this change is expected not to occur for a significant time.

OASIS Standards; and GGF Recommendations (GFD-R), Draft Recommendations (GFD-R.D) and Proposed Recommendations (GFD-R.P) [**GFD.1**] satisfy this condition.

For example, WS-Security 1.0.

- **Evolving Institutional Standard.** A specification that is evolving toward an Institutional Standard. An active community within a recognized standards development organization is working on the specification. The referenced draft has been approved by a formal process of that organization and satisfies the intellectual property considerations of the organization.

OASIS TC Committee Drafts (CD) [**OASIS TCP**] and GGF recommendation-track Grid Working Drafts (GWD-R.P) [**GFD.1**] that have been posted for public comment by the GGF Editor satisfy this condition.

For example, the WSRF 1.2 Committee Drafts.

- **Draft Institutional Standard.** A specification that is evolving towards an Institutional Standard. An active community within a recognized standards development organization is working on the specification. There are working drafts available but they have not been approved by any formal process of the organization.

OASIS TC Working Drafts [**OASIS TCP**] and GGF WG drafts that have not yet been submitted to the GGF Editor satisfy this condition.

For example, the first draft of the Basic Execution Services (BES) WG specification, discussed at GGF14, and WS-BaseNotification 1.2, Working Draft 03 satisfy this condition.

- **Consortium Specification.** An *approved* specification developed and promoted by a consortium of multiple companies or organizations, with a possible closed membership. "Approved" is defined by the processes of the consortium in question. The specification is not expected to change without a repeat of the approval process within the consortium, and this change is expected not to occur for a significant time.

For example, Glue Schema 1.1.

- **Evolving Consortium Specification.** A specification that is evolving toward a Consortium Specification. An active community within the consortium is working on the specification.

For example, Glue Schema 1.2.

- **Draft Specification.** Any specification that is arguably implementable in its current state, but still evolving and not yet part of a standards or consortium process.

For example, WS-Policy (September 2004) and WS-AtomicTransaction (November 2004).

The following are the **adoption levels** to be used. The definitions of the adoption levels used in a profile MAY be repeated in the Profile document; otherwise a reference to this document MUST be provided. The characterization of each of the following adoption levels are with respect to the conformance targets as specified by the referencing Profile. In other words, the adoption level may not apply to the whole of a referenced specification but only to that portion of the specification that is *in scope* of the Profile, as defined in section 2 of the WS-I Basic Profile 1.1 [**WS-I BP 1.1**].

- **Unimplemented.** Although the specification exists and may be viewed as stable, no implementation exists. There may be prototypes under development within various organizations, but are not available outside those organizations.
- **Implemented.** There exists at least one implementation that is generally available for testing or deployment that, according to the authors (or third parties), implements the specification.
- **Interoperable.** There exist at least two implementations, as defined above, that interoperate. There must be a report detailing at least one interoperability workshop.

- **Community.** At least one of the interoperable implementations, as defined above, is deployed and used on a regular basis by a specific community. The limited use may be due to either a lack of acceptance of the specification by the community at large or due to the specialist nature of a specific specification.
- **Adopted.** There exist two or more interoperable implementations, as defined above, and they are both (or all) used across several communities. Commercially supported implementations are available, either as a product or as support for an open source implementation. There may be some restriction on which platforms support the implementations or other aspects that restrict the availability of the implementations.
- **Ubiquitous.** Interoperable implementations exist for virtually all platforms. Commercial support is available, but provided transparently as part of the supporting infrastructure.

With the exception of “unimplemented” each of the adoption levels builds on the preceding level. For example, an “interoperable” specification is also an “implemented” specification.

Note that we do not assign adoption levels to profiles because a profile only defines a target for compliance, and is not directly implementable in the same way as a specification.

4.2.1 Referenced Document Status and Adoption Level Classification

Each Profile MUST include an appendix that classifies the referenced specifications or profiles according to their status types and adoption levels as defined in section 3.2 of this document. The appendix MUST include a table of the form illustrated by Table 1. Note: Examples from section 3.2 above are included for illustrative purposes.

Referenced Specifications or Profiles	Status							Adoption					
	De Facto	Institutional	Evolving Institutional	Draft Institutional	Consortium	Evolving Consortium	Draft	Ubiquitous	Adopted	Community	Interoperable	Implemented	Unimplemented
Specifications													
WSDL 1.1	X							X					
WS-Security 1.0		X									X		
WS-BaseNotification			◀	X								◀	X
WS-Topics			◀	X								◀	X
WS-ResourceLifetime		◀	X									◀	X
WS-ResourceProperties		◀	X									◀	X
WS-ServiceGroups		◀	X									◀	X
Glue Schema 1.1					X							X	
Glue Schema 1.2						X							X
WS-AtomicTransactions							X				X		
WS-Policy							X				X		
Profiles													
None													

Legend: X Specification or profile is currently at this status or adoption level
◀ Specification or profile is approaching this status or adoption level

Table 1: Status Type and Adoption Level Classification

Note:

- Each of the referenced specifications or profiles should appear as either a cross-reference or a hyperlink to the referenced document.
- Use of footnotes is recommended if further clarifications are necessary on any of the classifications.

4.3 Required Features

For each specification or profile (or part thereof if appropriate) the level of support required by Profile-compliant implementations **MUST** be indicated. In particular it **MUST** be stated

- if support for the entire specification or profile is required; or
- if only the mandatory parts of the specification or profile are required; or
- if the mandatory parts and *some* of the optional parts of the specification or profile are required.

4.4 Restrictions

In some cases, a specification or profile allows multiple interpretations of aspects of itself. Where this variability in interpretation is likely to affect interoperability, the Profile **SHOULD** restrict the interpretation. The nature of these restrictions may range from a simple clarification of meaning in a specification or profile to the inclusion of "mini" specifications for missing content in the referenced document. Note that if such a "mini" specification becomes significant in size or relevance outside the given Profile, it **SHOULD** be spun out as a separate normative specification and referenced externally.

4.5 Extensions

Similarly, there may be cases where, to achieve the goals of interoperability, extensions to specifications are necessary. As with significantly complex restrictions, large or externally significant extensions should be fed back into the specification development process of the referenced specification, with a view to the eventual removal of the extension from the Profile. Where it seems likely that such an extension may never be included in the referenced specification, the Profile developers should seek alternative solutions to the problem.

All extensibility points in the referenced specifications **MUST** be noted in (at a minimum) an appendix in the referencing Profile.

4.6 Interactions

Where interactions between one or more specifications in a Profile (or referenced profiles) affect interoperability, these interactions **MUST** be discussed and procedures to ensure interoperability outlined. These procedures may be conditional on different approaches within various scenarios.

5. Profile Type Distinction

This section provides guidance to Profile writers and reviewers on the factors that distinguish an Informational Profile from a Recommended Profile. These types are based on the GGF document types outlined in GFD.1 [GFD.1]. These levels are defined in terms of the status types and adoption levels, with additional requirements in the case of Recommended Profiles.

The criteria for the Profile types for status type and adoption level **MUST** be met at the time of submission to the GGF Editor.

5.1 Informational Profile

Specifications in an Informational Profile have no restriction on the status type values of their component specifications.

Specifications in an Informational Profile have no restriction on the adoption level values of their component specifications.

Specifications referenced directly or indirectly by an Informational Profile **MUST** be consistent. In other words, if two or more specifications reference the same third specification then they **MUST** reference the same version of that specification.

5.2 Recommended Profile as Proposed Recommendation

Every specification in a Recommended Profile, when at the Proposed Recommendation stage of publication, **MUST** have one of the following status type values: Institutional Standard, De Facto Standard, or Evolving Institutional Standard.

Every specification in a Recommended Profile, when at the Proposed Recommendation stage of publication, **MUST** have one of the following adoption level values: Interoperable, Community, Adopted, or Ubiquitous.

Specifications referenced directly or indirectly by a Recommended Profile **MUST** be consistent. In other words, if two or more specifications reference the same third specification then they **MUST** reference the same version of that specification.

5.3 Recommended Profile as Grid Recommendation

Every specification in a Recommended Profile **MUST** have one of the following status type values: Institutional Standard or De Facto Standard.

Every specification in a Recommended Profile **MUST** have one of the following adoption level values: Community, Adopted, or Ubiquitous.

In addition, a GGF Experimental document **MUST** be published describing experience within the community with the referenced specifications, particularly with respect to interoperability and extent of adoption.

6. Security Considerations

If the Profile contains no specific specifications or strategies with respect to security, it **MUST** reference other Profiles that do make such references directly or indirectly. In such cases, a reference to the specific Profiles and sections within those Profiles **MUST** be called out specifically as the source for security considerations.

Author Information

Contact information for authors.

Tom Maguire
Email: <tmaguire@us.ibm.com>
STSM, On Demand Architecture
2455 South Rd
Poughkeepsie, NY 12601

Dr. David Snelling

Email: <David.Snelling@UK.fujitsu.com>
Fujitsu Laboratories of Europe
Hayes Park Central
Hayes End Road
Hayes, Middlesex UB4 8FE

Acknowledgments

We are grateful to numerous colleagues for discussions on the topics covered in this document, and to the people who provided comments on the public drafts. Thanks in particular to (in alphabetical order, with apologies to anybody we have missed) Dave Berry, Abdeslem Djaoui, Donal Fellows, Andrew Grimshaw, Hiro Kishimoto, Fred Maciel, Steve McGough, Mark Morgan, Takuya Mori, Steven Newhouse, Andreas Savva, Ravi Subramaniam, Jem Treadwell.

Intellectual Property Statement

The GGF takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this specification can be obtained from the GGF Secretariat.

The GGF invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights which may cover technology that may be required to practice this recommendation. Please address the information to the GGF Executive Director.

Full Copyright Notice

Copyright (C) Global Grid Forum (2005). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the GGF or other organizations, except as needed for the purpose of developing Grid Recommendations in which case the procedures for copyrights defined in the GGF Document process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the GGF or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE GLOBAL GRID FORUM DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE."

References

- [WS-I BP 1.1]** K. Ballinger, D. Ehnebuske, C. Ferris, M. Gudgin, C.K. Liu, M. Nottingham, and P. Yendluri (ed.) Basic Profile Version 1.1, Web Services Interoperability Organization Final Material, 2004-08-24. <http://www.ws-i.org/Profiles/BasicProfile-1.1.html>
- [WS-I BSP 1.0]** A. Barbir, M. Gudgin, M. McIntosh, and K.S. Morrison (ed.) Basic Security Profile Version 1.0, Web Services Interoperability Organization, Working Group Draft, 2005/01/20. <http://www.ws-i.org/Profiles/BasicSecurityProfile-1.0-2005-01-20.html>
- [GFD.1]** C. Catlett (ed.) Global Grid Forum Documents and Recommendations: Process and Requirements, Global Grid Forum, Revised April 2002. <http://www.ggf.org/documents/GFD/GFD-C.1.pdf>
- [OASIS TCP]** OASIS Technical Committee Process: <http://www.oasis-open.org/committees/process.php>
- [RFC2119]** S. Bradner (ed.) Key words for use in RFCs to Indicate Requirement Levels, The Internet Engineering Task Force Best Current Practice, March 1997. <http://www.ietf.org/rfc/rfc2119.txt>
- [Conformance Claim]** M. Nottingham, and C. von Riegen (ed.) Conformance Claim Attachment Mechanisms – Version 1.0, Web Services Interoperability Organization Final Material, 2004-11-15. <http://www.ws-i.org/Profiles/ConformanceClaims-1.0-2004-11-15.html>